

# SAFETY DATA SHEET

According to OSHA Hazard Communication  
Standard 29CFR 1910.1200 (HCS 2012)



**VETRICERAMICI**

SEDE LEGALE e A.M.M. V.A. - HUB TECNOLOGICO, R&D  
| Via Canaletto, 138/140 | 41042 FIORANO (MO) | Tel +39 0536 836711 | Fax +39 0536 836710  
SEDE COMMERCIALE - ASSISTENZA TALE  
| Via Madonna del Sagrato, 25 | 41042 SPEZZANO (MO) | Tel +39 0536 920729 | Fax +39 0536 920225  
STABILIMENTO PRODUTTIVO  
| Via M. Aglio, 35 | 48032 CASOLA V. ALBERIO (RN) | Tel +39 0546 76711 | Fax +39 0546 73302



Responsible Care



ISO 14001:2015 Sito di Fiorano Modenese

**1432022**

**CT 1701 BLACK GLAZE STAIN**

Product specification: -

Review date: 19/06/2024

Review: 1

Print Date: 19/06/2024

Material number: 1432022

Page: Pagina 1 di 9

## SECTION 1. IDENTIFICATION

Product name : **1432022**  
CT 1701 BLACK GLAZE STAIN

Material number : **1432022**

### Manufacturer or supplier's details

Company name of supplier : VetriCerAMICI SRL  
Address : Via Canaletto, 138/140 - 41042 Fiorano Modenese (MO) - Italy - Tel. +39 0536 836711  
Telephone :

### Emergency telephone number

In-Country Number : See also section 16  
CHEMTREC Global Number : -

### Recommended use of chemical and restrictions on use

Recommended use : Ceramic Applications  
Consult the technical guidelines for the use of this substance/mixture.



Supplied by Oxerra Australasia Pty Ltd  
103 Vanessa Street, Kingsgrove NSW 2208  
T: (02) 9336 1000 After Hours 0418 221 249  
www.oxerra.com

**POISONS INFORMATION CENTER**  
13 11 26 from anywhere in Australia  
0800 764 766 from New Zealand

## SECTION 2. HAZARD IDENTIFICATION

### GHS Classification

The product does not present risks for user's health if he applies the habitual precaution on the use of the chemical products

### GHS Label element

Danger indications:  
Signal word: -

EUH210 Safety data sheet available on request.

### Other hazards

None know.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : **Mixture**  
Chemical nature : Pigment/Colouring

### Hazardous components

# SAFETY DATA SHEET

According to OSHA Hazard Communication  
Standard 29CFR 1910.1200 (HCS 2012)



**VETRICERAMICI**

SEDE LEGALE e A.M.M. V.A. - HUB TECNOLOGICO, R&D  
| Via Canaletto, 138/140 | 41042 FIORANO (MO) | Tel +39 0536 828711 | Fax +39 0536 839719  
SEDE COMM. ESICALE, ASSISTENZA T.I.E.  
| Via Madonna del Segrato, 25 | 41042 SPEZZANO (MO) | Tel +39 0536 920729 | Fax +39 0536 920225  
STABILIMENTO PRODUTTIVO  
| Via M.aggio, 35 | 48032 CASOLA V. ALBERIO (PR) | Tel +39 0546 76711 | Fax +39 0546 73302



1432022

CT 1701 BLACK GLAZE STAIN

Product specification: -

Review date: 19/06/2024

Review: 1

Print Date: 19/06/2024

Material number: 1432022

Page: Pagina 2 di 9

<b>Iron cobalt chromite black spinel</b> <b>CAS: 68186-97-0; EINECS: 269-060-5</b>	<b>40,00% - 70,00%</b>
<b>Cobalt aluminate blue spinel</b> <b>CAS: 1345-16-0; EINECS: 310-193-6</b>	<b>5,00% - 10,00%</b>
<b>Crystalline free silica</b> <b>CAS: 14808-60-7; EINECS: 238-878-4</b>	<b>0,10% - 0,50%</b>
STOT RE 1;H372	

## SECTION 4. FIRST AID MEASURES

General advice	: Consult a physician.
If inhaled	: Remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: If skin irritation persists, call a physician.
In case of eye contact	: Rinse immediately with plenty of water and seek medical advice.
If swallowed	: If accidentally swallowed obtain immediate medical attention.
Most important symptoms and effects, both acute and delayed	: None known.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.
In case of fire, intervene immediately with the equipment on the means for the ADR transport to extinguish the fire and prevent it from affecting the product. Do not use chemical or powder extinguishers on the product.	

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	: Do not allow uncontrolled discharge of product into the environment.
Methods and materials for containment and cleaning up	: Sweep up and shovel into suitable containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: Avoid inhalation, ingestion and contact with skin and eyes.
Conditions for safe storage	: Keep container tightly closed in a dry and well-ventilated place.

# SAFETY DATA SHEET

According to OSHA Hazard Communication  
Standard 29CFR 1910.1200 (HCS 2012)



**VETRICERAMICI**

SEDE LEGALE e A.M.M. V.A. - HUB TECNOLOGICO, R&D  
| Via Canaletto, 138/140 | 41042 FIORANO (MO) | tel +39 0536 828711 | fax +39 0536 839719  
SEDE COMM. ESICALE, ASSISTENZA TILES  
| Via Madonna del Sagrato, 25 | 41042 SPEZZANO (MO) | tel +39 0536 820729 | fax +39 0536 820225  
STABILIMENTO PRODUTTIVO  
| Via M. aggio, 35 | 48032 CASOLA V. ALBERIO (PR) | tel +39 0546 76711 | fax +39 0546 73302



**1432022**

**CT 1701 BLACK GLAZE STAIN**

Product specification: -

Review date: 19/06/2024

Review: 1

Print Date: 19/06/2024

Material number: 1432022

Page: Pagina 3 di 9

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

TLV (ACGIH)	<b>Iron cobalt chromite black spinel</b> TWA: 3 mg/mc (respirable fraction) - STEL: 10 mg/mc (inhalable fraction)
TLV (ACGIH)	<b>Cobalt aluminate blue spinel</b> TWA: 3 mg/mc (respirable fraction) - STEL: 10 mg/mc (inhalable fraction)
TLV (ACGIH)	<b>Crystalline free silica</b> TWA: 0,025 mg/mc (respirable fraction)
OEL (UE Directive 2398/2017)	<b>Crystalline free silica</b> 0,1 mg/mc
VLEP (D. Lgs. 81/2008)	<b>Crystalline free silica</b> 0,1 mg/mc
NDS	<b>Crystalline free silica</b> 2*; 0,3** (*pyl calkowity; **pyl respirabilny)

**Engineering measures** : Apply technical measures to comply with the occupational exposure limits.  
Provide adequate ventilation.

### Personal protective equipment

- Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
- Hand protection : For prolonged or repeated contact use protective gloves.
- Eye protection : Safety glasses
- Protective measures : Wear suitable protective equipment.  
When using do not eat, drink or smoke.
- Hygiene measures : Wash hands before breaks and immediately after handling the product.

# SAFETY DATA SHEET

According to OSHA Hazard Communication  
Standard 29CFR 1910.1200 (HCS 2012)



**VETRICERAMICI**

SEDE LEGALE e A.M.M. V.A. - HUB TECNOLOGICO, R&D  
| Via Canaletto, 138/140 | 41042 FIORANO (MO) | tel +39 0536 828711 | fax +39 0536 839719  
SEDE COMM. ESICALE, ASSISTENZA T.I.E.  
| Via Madonna del Segrato, 25 | 41042 SPEZZANO (MO) | tel +39 0536 920729 | fax +39 0536 920225  
STABILIMENTO PRODUTTIVO  
| Via M. aggio, 35 | 48032 CASOLA V. ALBERIO (PR) | tel +39 0546 76711 | fax +39 0546 73302



1432022

CT 1701 BLACK GLAZE STAIN

Product specification: -

Review date: 19/06/2024

Review: 1

Print Date: 19/06/2024

Material number: 1432022

Page: Pagina 4 di 9

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Powder
Colour	: Coloured (Nero)
Odour	: Odourless
Odour Threshold	: No data available
pH	: Undetermined
Melting point/freezing point	: Undetermined
Boiling point/boiling range	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: Undetermined
Viscosity	: Undetermined
Solubility(ies)	
Solubility in other solvents	: Not soluble
Auto-ignition temperature	: Not applicable
Combustibility	: Not combustible
Corrosive	: Not corrosive
Volatile	: Not Volatile
Oxidizing properties	: No data available
Refractive index	: No data available
Volatile organic compounds (VOC) content	: This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: The product is chemically stable.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Specific information about the product are not available.

The following information are assumed from the toxicological behaviour of the components; whenever they are available.

### QUARTZ – FREE CRYSTALLINE SILICA

<b>PENETRATION METHODS:</b>	inhalation.
<b>ACUTE TOXICITY:</b>	prolonged and repeated exposure to fine crystalline silica dust may cause silicosis.
<b>CANCEROGENESIS:</b>	- IARC (International Agency for Research on Cancer) has classified crystalline silica as a probable cause of lung cancer in humans (group 2A); furthermore, it asserts that the carcinogenic effects depend not only on the characteristics of the substance, but also on the physical-biological characteristics of the environment and the person (IARC Monographs, vol. 68, 1997). - IOM (Institute of Occupational Medicine) maintains that the results of epidemiological research are as yet insufficient to establish a direct correlation between crystalline silica and the onset of lung cancer in humans, but has observed a tendency to develop the disease in patients affected by silicosis.

# SAFETY DATA SHEET

According to OSHA Hazard Communication  
Standard 29CFR 1910.1200 (HCS 2012)



**VETRICERAMICI**

SEDE LEGALE e A.M.M. V.A. - HUB TECNOLOGICO, R&D  
| Via Canletto, 138/140 | 41042 FIORANO (MO) | Tel +39 0536 828711 | Fax +39 0536 839719  
SEDE COMM. ESICALE, ASSISTENZA T.I.E.  
| Via Madonna del Sagrato, 25 | 41042 SPEZZANO (MO) | Tel +39 0536 820729 | Fax +39 0536 820225  
STABILIMENTO PRODUTTIVO  
| Via M.aggio, 35 | 48032 CASOLA V. ALBERIO (PR) | Tel +39 0546 76711 | Fax +39 0546 73302



1432022

CT 1701 BLACK GLAZE STAIN

Product specification: -

Review date: 19/06/2024

Review: 1

Print Date: 19/06/2024

Material number: 1432022

Page: Pagina 5 di 9

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

At the moment specific data are available on the environmental impact of the product.  
It is recommended to limit the leakage in the environment as much as possible.

### Persistence and degradability

Remarks: No data available

### Bioaccumulative potential

Remarks: No data available

### Mobility in soil

Remarks: No data available

### Other adverse effects

Product

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B)

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of wastes in an approved waste disposal facility.

## SECTION 14. TRANSPORT INFORMATION

### 14.1 UN number or ID number

Not restricted

### 14.2 UN proper shipping name

Not restricted

### 14.3 Transport hazard class(es)

Not restricted

### 14.4 Packing group

Not restricted

### 14.5 Environmental hazards

Environmentally hazardous substance: Not restricted

Marine pollutant: Not restricted

### 14.6 Special precautions for user

Not restricted

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

There aren't other informations

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### 49 CFR

Not regulated as a dangerous good

# SAFETY DATA SHEET

According to OSHA Hazard Communication  
Standard 29CFR 1910.1200 (HCS 2012)



**VETRICERAMICI**

SEDE LEGALE e A.M.M. V.A. - HUB TECNOLOGICO, R&D  
| Via Canaletto, 138/140 | 41042 FIORANO (MO) | tel +39 0536 828711 | fax +39 0536 839719  
SEDE COMM. ESICALE, ASSISTENZA T.I.E.  
| Via Madonna del Sagrato, 25 | 41042 SPEZZANO (MO) | tel +39 0536 920729 | fax +39 0536 920225  
STABILIMENTO PRODUTTIVO  
| Via M.aggio, 35 | 48032 CASOLA V. ALBERNO (PR) | tel +39 0546 76711 | fax +39 0546 73302



1432022

CT 1701 BLACK GLAZE STAIN

Product specification: -

Review date: 19/06/2024

Review: 1

Print Date: 19/06/2024

Material number: 1432022

Page: Pagina 6 di 9

## SECTION 15. REGULATORY INFORMATION

**TSCA list** : TSCA\_12b - Not relevant

**TSCA list** : TSCA 5a - Not relevant

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 302** : This product contains components that are reportable under the regulation.

**SARA 313** : This product contains components that are reportable under the regulation.

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

#### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product contains components that are reportable under the regulation.

**Massachusetts Right To Know** : This product contains components that are reportable under the regulation.

**Pennsylvania Right To Know** : This product contains components that are reportable under the regulation.

**New Jersey Right To Know** : This product contains components that are reportable under the regulation.

**California Prop 65** : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### The components of this product are reported in the following inventories:

EINECS (European Union) : On the inventory, or in compliance with the inventory

SWISS (Switzerland) : On the inventory, or in compliance with the inventory

TSCA (United States) : On TSCA Inventory

DSL/NDSL (Canada) : All components of this product are on the Canadian DSL.

AICS (Australia) : On the inventory, or in compliance with the inventory

NZioC (New Zealand) : On the inventory, or in compliance with the inventory

ENCS (Japan) : On the inventory, or in compliance with the inventory

ISHL (Japan) : On the inventory, or in compliance with the inventory

KECI (Korea) : On the inventory, or in compliance with the inventory

PICCS (Philippines) : On the inventory, or in compliance with the inventory

# SAFETY DATA SHEET

According to OSHA Hazard Communication  
Standard 29CFR 1910.1200 (HCS 2012)



**VETRICERAMICI**

SEDE LEGALE e A.M.M. V.A. - HUB TECNOLOGICO, R&D  
| Via Canaletto, 138/140 | 41042 FIORANO (MO) | Tel. +39 0536 828711 | Fax +39 0536 839719  
SEDE COMM. ESICALE, ASSISTENZA T.I.E.  
| Via Madonna del Sagrato, 25 | 41042 SPEZZANO (MO) | Tel. +39 0536 920729 | Fax +39 0536 920225  
STABILIMENTO PRODUTTIVO  
| Via Maggio, 35 | 48032 CASOLA V. ALBENIO (PR) | Tel. +39 0546 76711 | Fax +39 0546 73302



Responsible Care



ISO 14001:2015 Sito di Fiorano Modenese

**1432022**

**CT 1701 BLACK GLAZE STAIN**

Product specification: -

Review date: 19/06/2024

Review: 1

Print Date: 19/06/2024

Material number: 1432022

Page: Pagina 7 di 9

IECSC (China)	:	On the inventory, or in compliance with the inventory
TCSI (Taiwan)	:	On the inventory, or in compliance with the inventory
CICR (Turkey)	:	On the inventory, or in compliance with the inventory
INSQ (Mexico)	:	On the inventory, or in compliance with the inventory

The indications in the following sheet are based on the knowledge presently available.  
We do not assume any responsibility about their incompleteness and imprecision.

### Poison control centers (national)

CAV - Ospedale Pediatrico Bambino Gesù - Dip. Emergenza e Accettazione (Roma) - Tel. +39 06 68593726

Azienda Ospedaliera Università di Foggia (Foggia) - Tel. 800183459

Azienda Ospedaliera "A. Cardarelli" (Napoli) - Tel. +39 081 5453333

CAV - Policlinico "Umberto I" (Roma) - Tel. +39 06 49978000

CAV - Policlinico "A. Gemelli" (Roma) - Tel. +39 06 3054343

Azienda Ospedaliera Careggi U.O. Tossicologia Medica (Firenze) - Tel. +39 055 7947819

CAV - Centro Nazionale di Informazione Tossicologica (Pavia) - Tel. +39 0382 24444

Ospedale Niguarda Ca' Granda (Milano) - Tel. +39 02 66101029

Azienda Ospedaliera Papa Giovanni XXII (Bergamo) - Tel. 800883300

Azienda Ospedaliera Integrata Verona (Verona) - Tel. 800011858

### Poison control centers (international)

France 0033 (0) 1 454259 9

United Kingdom 0845 4647

Spain 0034 91 562 04 20

Czech Republic 224 919293 / 224 915402

Portugal 808 250143

Hungary 06 1 476 6464

# SAFETY DATA SHEET

According to OSHA Hazard Communication  
Standard 29CFR 1910.1200 (HCS 2012)



**VETRICERAMICI**

SEDE LEGALE e A.M.M. V.A. - HUB TECNOLOGICO, R&D  
| Via Canaletto, 138/140 | 41042 FIORANO (MO) | tel +39 0536 828711 | fax +39 0536 839719  
SEDE COMM. ESICALE, ASSISTENZA TALE  
| Via Madonna del Sagrato, 25 | 41042 SPEZZANO (MO) | tel +39 0536 920729 | fax +39 0536 920225  
STABILIMENTO PRODUTTIVO  
| Via M. aggio, 35 | 48032 CASOLA V. ALBERIO (PR) | tel +39 0546 76711 | fax +39 0546 73362



Responsible Care



ISO 14001:2015 Site di Fiorano Modenese



ISO 9001:2015



ISO 45001:2018

**1432022**

**CT 1701 BLACK GLAZE STAIN**

Product specification: -

Review date: 19/06/2024

Review: 1

Print Date: 19/06/2024

Material number: 1432022

Page: Pagina 8 di 9

## SECTION 16. OTHER INFORMATION

Revision Date : 19/06/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

### Relevant sentences

H372

Causes damage to organs through prolonged or repeated exposure.

